

FIG. 1




FIG. 2(a)




FIG. 2(b)




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34

SECTION B - B




FIG. 35

SECTION A—A




FIG. 36




FIG. 37






FIG. 38



*FIG. 39*

SECTION B-B



*FIG. 40*

SECTION A-A




FIG. 41




FIG. 42






FIG. 43





FIG. 44



A cross-sectional view of a device. A central shaft (102) passes through a housing (101). The housing has a flange (106) on the left and a series of protrusions (109, 110) on the bottom. A component (107) is mounted on the shaft. A hatched section (108) is at the right end of the housing, with an arrow pointing left towards it. A component (103) is located between the hatched section and the component (107). A component (104) is located between the component (103) and the component (107). A component (105) is located between the component (104) and the component (107).

A detailed cross-sectional diagram of a mechanical or electrical assembly. The assembly is divided into three main horizontal regions: A, B, and C. Region A (bottom) features four parallel vertical cylindrical chambers, each containing a component labeled 91. Region B (middle) shows a central spherical element 106 connected to two arrow-shaped components. Region C (top) includes a large rectangular block 107, a diagonal hatched plate 108, and a row of five small circular elements 125. Various other parts are labeled with numbers: 5 (a pin-like feature), 21 (the upper housing), 101 (a side wall), 103 (a lower housing section), 105 (a base plate), and 102 (a cross-shaped internal structure). Dashed lines indicate the boundaries between the A, B, and C sections.

FIG. 47

SECTION C-C




FIG. 48

SECTION A-A




FIG. 49

SECTION B - B




FIG. 50




FIG. 51

SECTION B - B




FIG. 52

SECTION A - A




FIG. 53




FIG. 54




FIG. 55




FIG. 56

SECTION A-A




FIG. 57




FIG. 58

